

JCWSCS 10 JUN 2004

JUN-10-2004 15:20

513 241 6234

513 241 6234 P.01

I hereby certify that this correspondence is being submitted to the United States Patent and Trademark Office via facsimile no. (703) 746-9195, addressed to: Attn: Office of Initial Patent Examination's Filing Receipt Corrections, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Sherri Mohr

Date

Applicant: Aelan Mosden
Serial No: 10/803,805
Filed: March 18, 2004
Atty. Docket No.: FKL-005
For: REPLACING CHAMBER COMPONENTS IN A VACUUM ENVIRONMENT

Office of Initial Patent Examination's Filing Receipt Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The United States Patent and Trademark Office incorrectly identifies the title of the patent as "Replacing chamber components in vacuum environment," however, the title should read "Replacing chamber components in a vacuum environment."

This error does not appear to be of sufficient importance to warrant a corrected Filing Receipt, but by this letter it is made of record and it is requested that this letter be placed in the file of the patent application.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By

Donald F. Frei

Reg. No. 21,190

2700 Carew Tower
Cincinnati, OH 45202
(513) 241-2324


UNITED STATES PATENT AND TRADEMARK OFFICE RECEIVED

 UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 Alexandria, Virginia 22313-1450
 www.uspto.gov

2004 JUN -7

APR 13 10 19 50

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/803,805	03/18/2004	1742	0.00	FKL-005	7	29	3

CONFIRMATION NO. 5615

 26875
 WOOD, HERRON & EVANS, LLP
 2700 CAREW TOWER
 441 VINE STREET
 CINCINNATI, OH 45202

FILING RECEIPT



OC000000012860663

Date Mailed: 06/03/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Aelan Mosden, Poughkeepsie, NY;

Domestic Priority data as claimed by applicant**Foreign Applications****If Required, Foreign Filing License Granted: 06/02/2004****Projected Publication Date: To Be Determined - pending completion of Missing Parts****Non-Publication Request: No****Early Publication Request: No****Title**

Replacing chamber components in vacuum environment

Preliminary Class

204

 "A"
 ↑

insert